



Select Auto Supplies Ltd

Pages 2-8 – Wheel bolts

- 2 - 4 - Taper, radius and short headed
- 5 - Tuner (internal drive)
- 6 - Black finish (including tuner)
- 7 - Peugeot/Citroen/Toyota, VW
- 8 - Ghia, variable PCD

Pages 9-18 – Wheel nuts

- 9-10 - Bulge nuts open and closed
- 11 - Black
- 12 - Short, long and variable PCD
- 13 - Tuner nuts and keys
- 14-16 - Sleeve nuts and nut covers
- 17 - Original equipment
- 18 - Washers and collars

Pages 19 – 23 - Lock bolts and nuts

- 19 - Budget lock bolts silver and black
- 20 - Mid range lock bolts silver and black
- 21 - Limpet lock bolts
- 22 - Budget lock nuts silver and black
- 23 - Limpet lock nut

Pages 24 – 25 Studs

Pages 26 - 28 - Spacers

- 26 – 27 - Hubcentric and back hubcentric
- 28 - Universal

Pages 29 – 30 - Spigot Rings

Contact Information

Phone – 02476465845


Email – selectauto@btinternet.com

Website – www.selectautosupplies.com


Wheel bolts

All bolts are **zinc plated** unless otherwise stated

60 ° TAPER SEATING BOLT



RADIUS SEATING BOLT



Radius seating: R12

PART NUMBER	THREAD	HEX	SEATING	LENGTH
-------------	--------	-----	---------	--------

ZB22/5T	12 x 1.5	17	taper	22mm
ZB24/5T	12 x 1.5	17	taper	24mm
ZB26/5T	12 x 1.5	17	taper	26mm
ZB28/5T	12 x 1.5	17	taper	28mm
ZB30/5T	12 x 1.5	17	taper	30mm
ZB32/5T	12 x 1.5	17	taper	32mm
ZB35/5T	12 x 1.5	17	taper	35mm
ZB40/5T	12 x 1.5	17	taper	40mm
ZB45/5T	12 x 1.5	17	taper	45mm
ZB50/5T	12 x 1.5	17	taper	50mm
ZB60/5T	12 x 1.5	17	taper	60mm

ZB26/5T19	12 x 1.5	19	taper	26mm
ZB40/5T19	12 x 1.5	19	taper	40mm

ZB23/5R	12 x 1.5	17	radius	23mm
ZB26/5R	12 x 1.5	17	radius	26mm
ZB30/5R	12 x 1.5	17	radius	30mm
ZB35/5R	12 x 1.5	17	radius	35mm
ZB40/5R	12 x 1.5	17	radius	40mm
ZB45/5R	12 x 1.5	17	radius	45mm
ZB50/5R	12 x 1.5	17	radius	50mm
ZB60/5R	12 x 1.5	17	radius	60mm

ZB40/5RL	12 x 1.5	17	radius	40mm
----------	----------	----	--------	------

(6mm longer head)

PART NUMBER	THREAD	HEX	SEATING	THREAD LENGTH
-------------	--------	-----	---------	---------------

ZB24/25T	12 x 1.25	19	taper	24mm
ZB26/25T	12 x 1.25	19	taper	26mm
ZB28/25T	12 x 1.25	19	taper	28mm
ZB32/25T	12 x 1.25	19	taper	32mm
ZB35/25T	12 x 1.25	19	taper	35mm
ZB40/25T	12 x 1.25	19	taper	40mm
ZB45/25T	12 x 1.25	19	taper	45mm
ZB50/25T	12 x 1.25	19	taper	50mm
ZB60/25T	12 x 1.25	19	taper	60mm

ZB24/25T17	12 x 1.25	17	taper	24mm
ZB26/25T17	12 x 1.25	17	taper	26mm
ZB35/25T17	12 x 1.25	17	taper	35mm
ZB40/25T17	12 x 1.25	17	taper	40mm
ZB50/25T17	12 x 1.25	17	taper	50mm

ZB28/75T 12 x 1.75 19 taper 28mm (Volvo)

ZB25/14T	14 x 1.5	17	taper	25mm
ZB28/14T	14 x 1.5	17	taper	28mm
ZB30/14T	14 x 1.5	17	taper	30mm
ZB33/14T	14 x 1.5	17	taper	33mm
ZB35/14T	14 x 1.5	17	taper	35mm
ZB40/14T	14 x 1.5	17	taper	40mm
ZB45/14T	14 x 1.5	17	taper	45mm
ZB50/14T	14 x 1.5	17	taper	50mm
ZB55/14T	14 x 1.5	17	taper	55mm
ZB60/14T	14 x 1.5	17	taper	60mm

ZB30/14T19	14 x 1.5	19	taper	30mm
ZB35/14T19	14 x 1.5	19	taper	35mm
ZB40/14T19	14 x 1.5	19	taper	40mm

ZB27/14R	14 x 1.5	17	radius	27mm
ZB27/14R/W	14 x 1.5	17	radius	27mm (Hollow head)
ZB30/14R	14 x 1.5	17	radius	30mm
ZB35/14R	14 x 1.5	17	radius	35mm
ZB40/14R	14 x 1.5	17	radius	40mm
ZB45/14R	14 x 1.5	17	radius	45mm
ZB50/14R	14 x 1.5	17	radius	50mm
ZB55/14R	14 x 1.5	17	radius	55mm
ZB60/14R	14 x 1.5	17	radius	60mm
ZB64/14R	14 x 1.5	17	radius	64mm

PART NUMBER THREAD HEX SEATING THREAD LENGTH

ZB34/14R19	14 x 1.5	19	radius (R14)	34mm (Nickel)
ZB60/14R/R14	14 x 1.5	17	radius (R14)	60mm

ZB27/425T	14 x 1.25	17	taper	27mm
ZB33/425T	14 x 1.25	17	taper	33mm
ZB40/425T	14 x 1.25	17	taper	40mm
ZB50/425T	14 x 1.25	17	taper	50mm
ZB55/425T	14 x 1.25	17	taper	55mm

ZB33/16T	16 x 1.5	19	taper	33mm
----------	----------	----	-------	------

Short head bolts

A small selection of short headed bolts to pair with bolt on spacers are available



PART NUMBER	THREAD	HEX	SEATING	LENGTH
ZB22/25T/SH	12 x 1.25	17	taper	22mm
ZB26/5T/SH	12 x 1.5	17	taper	26mm
ZB26/14T/SH	14 x 1.5	17	taper	26mm

Tuner (Internal drive) bolts



PART NUMBER	THREAD	SEATING	LENGTH
-------------	--------	---------	--------

ZB26/5TK	12 x 1.5	taper	26mm
ZB28/5TK	12 x 1.5	taper	28mm
ZB35/5TK	12 x 1.5	taper	35mm
ZB40/5TK	12 x 1.5	taper	40mm (External drive)
ZB45/5TK	12 x 1.5	taper	45mm
ZB50/5TK	12 x 1.5	taper	50mm

ZB28/25TK	12 x 1.25	taper	28mm
ZB36/25TK	12 x 1.25	taper	36mm
ZB40/25TK	12 x 1.25	taper	40mm
ZB50/25TK	12 x 1.25	taper	50mm

ZB28/14TK	14 x 1.5	taper	28mm
ZB33/14TK	14 x 1.5	taper	33mm
ZB40/14TK	14 x 1.5	taper	40mm
ZB45/14TK	14 x 1.5	taper	45mm
ZB50/14TK	14 x 1.5	taper	50mm
ZB55/14TK	14 x 1.5	taper	55mm

ZB27/425TK	14 x 1.25	taper	27mm
ZB38/425TK	14 x 1.25	taper	38mm
ZB50/425TK	14 x 1.25	taper	50mm

ZB28/75TK	12 x 1.75	taper	28mm
-----------	-----------	-------	------

(External drive)

Black finish bolts

Taper



Radius



PART NUMBER	THREAD	HEX	SEATING	THREAD LENGTH
ZB26/25T17/B	12 x 1.25	17	taper	26mm
ZB26/5T/B	12 x 1.5	19	taper	26mm
ZB27/14R/B	14 x 1.5	17	radius	27mm
ZB27/14RW/B	14 x 1.5	17	radius	27mm (Loose washer)
ZB27/425T/B	14 x 1.25	17	taper	27mm
ZB28/14T/B	14 x 1.5	17	taper	28mm
ZB30/14R/POR	14 x 1.5	19	radius	30mm (PORSCHE)
ZB35/14R/POR	14 x 1.5	17	radius	35mm (PORSCHE)
ZB33/14T/B	14 x 1.5	17	taper	33mm
ZB33/425T/B	14 x 1.25	17	taper	33mm
ZB35/5T/B	12 x 1.5	17	taper	35mm
ZB35/14T/B	14 x 1.5	17	taper	35mm
ZB35/14R/POR	14 x 1.5	19	radius (R14)	34mm (Porsche)
ZB40/5T/B	12 x 1.5	17	taper	40mm
ZB40/14T/B	14 x 1.5	17	taper	40mm
ZB40/14R/B	14 x 1.5	17	radius	40mm
ZB43/425T/B	14 x 1.25	17	taper	43mm
ZB45/5T/B	12 x 1.5	17	taper	45mm
ZB45/14R/B	14 x 1.5	17	radius	45mm
ZB45/14T/B	14 x 1.5	17	taper	45mm
ZB50/14T/B	14 x 1.5	17	taper	50mm

Tuner black finish bolts



PART NUMBER	THREAD	SEATING	LENGTH
ZB26/5TK/B	12 x 1.5	taper	26mm
ZB28/14TK/B	14 x 1.5	taper	28mm

Original equipment style VW bolt



PART NUMBER	THREAD	HEX	SEATING	LENGTH
ZB30/14R19	14 x 1.5	19	radius (R14)	30mm
ZB37/14R19	14 x 1.5	19	radius (R14)	37mm
ZB45/14R19	14 x 1.5	19	radius (R14)	45mm
ZB53/14R19	14 x 1.5	19	radius (R14)	53mm

Peugeot/Citroen/Toyota bolt

Fits:

**Peugeot 107, Citroen C1,
Toyota Aygo**



PART NUMBER	THREAD	HEX	SEATING	FINISH
PEB1	12 x 1.5	17	flat	dacromet

Peugeot fitment bolts

PEB2 (Up to 2000)



PEB3



PEB4



PART NUMBER	THREAD	HEX	SEATING	FINISH
PEB2	12x1.25	19	flat	zinc
PEB3	12x1.25	19	flat	zinc
PEB4	12x1.25	17	flat	dacromet

Ghia conversion bolt

PART NUMBER	THREAD	HEX	SEATING	FINISH
10B	12 X 1.5	19	ford taper	zinc
10FW	(Washer – used together with 10B bolt)			

Variable PCD bolts



Variable PCD bolt



Tuner Variable bolt

PART NUMBER	THREAD	HEX	SEATING	LENGTH
WB1	12x1.5	17	taper	32mm
WB1/40	12x1.5	17	taper	40mm
WB1L	12x1.5	17	taper	50mm
WB2	12x1.25	17	taper	32mm
WB2L	12x1.25	17	taper	50mm
WB3	14x1.5	17	taper	32mm
WB3L	14x1.5	17	taper	48mm

Tuner Variable bolt

WB1AK	12x1.5		taper	27mm
WB2AK	12x1.25		taper	27mm

Wheel nuts

zinc nut



chrome nut



Closed-end bulge nuts – Taper

PART NUMBER	THREAD	HEX	FINISH
DN1B	½ unf	19	chrome
DN1BZ	½ unf	19	zinc
DN2B	7/16 unf	19	chrome
DN3B	12x1.25	19	chrome
DN3B/G	12x1.25	19	GOLD coloured chrome (Subaru)
DN3B17	12x1.25	17	zinc
DN3B21	12x1.25	21	zinc
DN3BZ	12x1.25	19	zinc
DN5B	3/8 unf	17	chrome
DN10B	12x1.5	19	chrome
DN10B17	12x1.5	17	zinc
DN10B21	12x1.5	21	zinc
DN10BZ	12x1.5	19	zinc
DN10LONG	12x1.5	19	chrome (50mm long)
DN14B	14x1.5	19	chrome
DN14B17	14x1.5	17	zinc
DN14B21	14x1.5	21	chrome
DN14BZ	14x1.5	19	zinc
DN14BZ21	14x1.5	21	zinc
DN15B	14x2	19	zinc
DN15B	9/16unf	19	zinc

Non- bulge type

DN20	10x1.25	19	zinc
DN321S	12x1.25	21	chrome
DN1021S	12x1.5	21	chrome
DN321	12x1.25	21	chrome
DN1021	12 x 1.5	21	chrome
DNRRZ	16x1.5	27	zinc



open ended nut



closed radius nut

Open-end bulge nuts – Taper

PART NUMBER	THREAD	HEX	FINISH
DN1BT	1/2 unf	19	zinc
DN2BT	7/16 unf	19	chrome
DN3BT	12x1.25	19	chrome
DN3BT17	12x1.25	17	zinc
DN3BT21	12x1.25	21	zinc
DN3BTZ	12x1.25	19	zinc
DN5BT	3/8 unf	17	chrome
DN10BT	12x1.5	19	chrome
DN10BT17	12x1.5	17	zinc
DN10BT21	12x1.5	21	zinc
DN10BTZ	12x1.5	19	zinc
DN14BT	14x1.5	19	zinc
DN15BT	14x2	19	zinc

Open- end non-bulge nuts

DN5OEND	3/8unf	17	zinc (taper)
DN6OEND	3/8unf	17	zinc (radius)

Closed-end nuts – Radius

DN6B	3/8 unf	17	chrome
DN10R	12x1.5	19	chrome
105	12x1.5	19	chrome (stainless cap)
DN14R	14x1.5	19	chrome

Open-end nuts – Radius

DN10BR	12x1.5	19	zinc
DN14BR	14x1.5	19	zinc

Black nuts



Black closed end bulge nut



Black tuner nut

Closed end

PART NUMBER	THREAD	HEX	FINISH
DN1B/B	½ unf	19	chrome
DN1B/BZ	½ unf	19	zinc
DN3B/B	12 x 1.25	19	zinc
DN10B/B	12 x 1.5	19	chrome
DN10B/BZ	12 x 1.5	19	zinc
DN14B/B	14 x 1.5	19	zinc

Open end

DN3BT/B	12 x 1.25	19	zinc
DN10BT/B	12 x 1.5	19	zinc
DN14BT/B	14 x 1.5	19	zinc
DN15BT/B	14 x 2	19	zinc

Tuner

DN3AK/B	12 x 1.25	Hexagon	chrome
DN3SK/B	12 x 1.25	Spline	chrome
DN10SK/B	12 x 1.5	Spline	chrome



Short open end nut Extended closed nut

Short nuts

PART NUMBER	THREAD	HEX	FINISH
DN14RS (radius)	14x1.5	19	zinc (stainless cap)

Short headed nuts

DN1BTS	½ unf	19	zinc
DN3BTS	12 x 1.25	19	zinc
DN10BTS	12 x 1.5	19	zinc
DN14BTS	14 x 1.5	19	zinc

Long nuts

DN10LONG	12 x 1.5	19	chrome
DN14BL	14 x 1.5	19	zinc
DN3LN (long nose)	12 x 1.25	19	zinc
DN10LN (long nose)	12 x 1.5	19	zinc

Variable PCD nuts

When fitting, 8 full turns are needed

VN1	12x1.5	19	zinc
VN1/17	12x1.5	17	chrome
VN2	12x1.25	19	zinc
VN2/17	12x1.25	17	chrome
VN3	½ unf	17	zinc

Tuner nuts

(20mm diameter)



Tuner nut



SK AK SK19

PART NUMBER	THREAD	KEY TYPE	FINISH
-------------	--------	----------	--------

DN1SK	½ unf	spline	zinc
DN2AK	7/16 unf	hexagon	chrome
DN3AK	12x1.25	hexagon	chrome
DN3SK	12x1.25	spline	chrome
DN3SKZ	12x1.25	spline	zinc
DN5AK	3/8 unf	hexagon	chrome
DN10AK	12x1.5	hexagon	chrome
DN10SK	12x1.5	spline	chrome
DN10SKZ	12x1.5	spline	zinc
DN14SK	14x1.5	spline	zinc
DN15SK	14x2	spline	zinc (23mm diameter)

DN10TK 12x1.5 chrome – Closed-end tuner nut with external spline

Tuner Keys

PART NUMBER	STYLE	HEX	FINISH
-------------	-------	-----	--------

AK	hexagon	19/21	zinc
SK	10 point spline	17	zinc
SK19	10 point spline	19/21	zinc
SKL (116mm long)	10 point spline	17	zinc
TK	external spline	19/21	black

Flat seat nuts

PART NUMBER	THREAD	SEATING
-------------	--------	---------

PEB/N	12x1.25	flat
-------	---------	------

Sleeve nut




Wolfrace style - (11/16 – large bore, 41/64 - small bore)

Part number	Thread	Shank Diameter
01	½ unf	11/16
02	7/16unf	11/16
03	7/16 unf	41/64
04	3/8 unf	41/64
05	12 x 1.5	41/64
06	12 x 1.5	11/16
07	12 x 1.25	41/64
08	12 x 1.25	11/16
09	1/2unf	11/16
(scimitar only)		
012	14 x 1.5	11/16
020	16 x 1.5	20mm
(range rover only)		(27mm hex)



Cobra style - (5/8 - small bore, 3/4 - large bore)

Part number	Thread	Shank Diameter
SN10GG	12 x 1.5	5/8
SN10G	12 x 1.5	3/4
SN2B	7/16 unf	5/8
SN2AB	7/16 unf	3/4
SN3FF	12 x 1.25	5/8
SN3F	12 X 1.25	3/4
SN6A	3/8 unf	5/8
SN1E	1/2 unf	3/4
SN14	14 x 1.5	3/4



Revolution style

Part number	Thread	Shank Diameter	Shank length
Rev1	1/2 unf	11/16	35mm
Rev2	7/16 unf	11/16	35mm
Rev10	12x1.5	11/16	35mm
Revbk	3/8 unf	11/16	35mm
Rev6	3/8unf	9/16	35mm

-



US Mag nut

Part number	Thread	Shank Diameter	Shank length
SNUSM1	1/2unf	11/16	20mm
SNUSM2	7/16 unf	11/16	20mm
SNUSM10	12 x 1.5	11/16	20mm

Nut Covers

Part number	Hexagon	Finish
Covers/17/B	17mm	Black
Covers/17/C	17mm	Chrome
Covers/19/B	19mm	Black
Covers/19/C	19mm	Chrome
Covers/21/B	21mm	Black
Covers/21/C	21mm	Chrome

Original equipment style nuts

Part number	Thread	Manufacturer	Seating
10F	12 x 1.5	Ford ghia	tapered washer
10FO/END	12 x 1.5	Ford ghia	tapered washer (open end)
12F	12 x 1.5	Ford (new style)	large taper
14F	14 x 1.5	Ford (new style)	large taper (21mm hex)
15F	14 x 2	Ford transit	flat washer
16F	14 x 1.5	Ford transit	flat washer
101	½ unf	Jaguar	flat washer
102	3/8 unf	Mini/Metro	60 ° taper washer
103	12 x 1.5	MG/Rover	60 ° taper washer
104	16 x 1.5	Range Rover until 93, Defender 90-110 & Discover 93-38,	flat washer
104/14	14 x 1.5	Range Rover 93-02 Discovery 98-04	flat washer
105	12x1.5	Honda	radius
107	3/8 unf	Pepperpot nut	
108	12 x 1.5	Freelander (Black 21mm hex)	radius
109	14 x 1.5	Range rover (2002-2005 only)	flat washer
110	14 x 1.5	Range Rover 06 on, Range Rover Sport & Discovery 04 on	flat washer
110/B (Black finish)	14 x 1.5	Range Rover 06 on, Range Rover Sport & Discovery 04 on	flat washer
110/C (chrome)	14 x 1.5	Range Rover 06 on, Range Rover Sport & Discovery 04 on	flat washer
111	12 x 1.5	Jaguar	flat washer
SNTOY	12 x 1.5	Toyota/Mitsubishi	flat seating sleeve nut

Washers and collars

Part number	Hole diameter	Seating
10FW/B	12mm	ford ghia fitment
12E/COL	12mm	taper
WL	19mm (3/4)	flat to flat
WLT (thin)	19mm (3/4)	flat to flat
WM	9/16 (for rev6 nut)	flat to flat
WR	11/16	flat to flat
WS	5/8	flat to flat
WST (thick)	5/8	flat to flat
WT12MMT (thick)	12mm	taper
WT14MM	14mm	taper
WTR	14mm	taper to radius
WTR/12	12mm	taper to radius
WW1 (wolfrace)	41/64	taper to taper
WW2 (wolfrace)	11/16	taper to taper
WW6 (wolfrace)	11/16 (for 09 nut only)	taper to taper
WW7 (wolfrace)	20mm (for 020 nut only)	taper to taper

Collars

W/110 - Range rover to T5 conversion collar

W/PEB - Taper to flat seat Peugeot washer

W/PEB - Taper to flat seat Peugeot washer

Standard steel inserts

IS/1 - 19mm spline

IS/2 - 25mm spline

Tyre valves

TV1 - chrome

Budget lock bolts

PART NUMBER	THREAD	SEATING	LENGTH
-------------	--------	---------	--------

B14	14x1.5	taper	28mm
B14R	14x1.5	radius	27mm
B14R/R14	14x1.5	radius	32mm (R14)
B14TK	14x1.5	tuner	25mm
B14V	14.1.5	vari	28mm
B15	12x1.5	radius	25mm
B16	16x1.5	taper	33mm
B17	12x1.5	taper	25mm
B17TK	12x1.5	tuner	25mm
B22	12x1.25	taper	28mm
B22TK	12x1.25	tuner	25mm
B25/14T	14x1.5	taper	25mm
B25/25T	12x1.25	taper	25mm
B40/14R	14x1.5	radius	40mm
B425	14x1.25	taper	28mm
B425TK	14x1.25	tuner	25mm

Black budget lock bolts

B14/B	14x1.5	taper	28mm
B14TK/B	14x1.5	tuner	28mm
B14R/B	14x1.5	radius	27mm
B17/B	12x1.5	taper	25mm
B425/B	14x1.25	taper	28mm

Mid range lock bolts

PART NUMBER THREAD SEATING LENGTH

B30/14T	15x1.25	taper	30mm
B33/5T	12x1.5	taper	33mm
B35/14R	14x1.5	radius	35mm
B35/14T	14x1.5	taper	35mm
B40/14R	14x1.5	radius	40mm
B40/14T	14x1.5	taper	40mm
B40/25T	12x1.25	taper	40mm
B40R	12x1.5	radius	40mm
B40T	12x1.5	taper	40mm
B43/425T	14x1.25	taper	43mm
B45/14T	14x1.5	taper	45mm
B45/14R	14x1.5	radius	45mm
B45/5T	12x1.5	taper	45mm
B50/14T	14x1.5	taper	50mm
B50/14R	14x1.5	radius	50mm
B50/25T	12x1.25	taper	50mm
B50/425T	14x1.25	taper	50mm
B60T	12x1.5	taper	60mm

Mid range lock bolts black

B35/14R/B	14x1.5	radius	35mm
B35/14T/B	14x1.5	taper	35mm
B40/14T/1B	14x1.5	taper	40mm
B40/T/B	12x1.5	taper	40mm
B40/14R/B	14x1.5	radius	40mm
B40/425T/B	14x1.25	radius	40mm
B43/425T/B	14x1.25	radius	43mm
B45/14T/B	14x1.5	taper	45mm
B45/14R/B	14x1.5	radius	45mm
B50/425T/B	14x1.25	taper	50mm

B45/5T/B	12x1.5	taper	45mm
B50/14T/B	14x1.5	taper	50mm
B50/425T/B	14x1.25	taper	50mm

Limpet lock bolts

PART NUMBER	THREAD	SEATING	LENGTH
-------------	--------	---------	--------

LBS10B	12x.1.5	ford seating	25mm
LBS13	12x1.25	taper	28mm
LBS14R	14x1.5	radius	28mm
LBS14R19	14x1.5	radius	28mm (19 hex)
LBS14T	14x1.5	taper	34mm
LBS14T19	14x1.5	taper	34mm (19hex)
LBS15	12x1.5	radius	26mm
LBS17	12x1.5	taper	26mm
LBS22	12x1.25	taper	28mm
LBS22/17	12x1.25	taper	28mm (17 hex)
LBS24/17	12x1.5	taper	27mm (17 hex)
LBS35/14R	14x1.5	radius	35mm
LBS40/14T	14x1.5	taper	40mm
LBS40/425T	14x1.25	taper	40mm
LBS40R	14x1.5	radius	40mm
LBS40T	14x1.5	taper	40mm
LBS425	14x1.25	taper	27mm
LBS50/14T	14x1.5	taper	50mm
LBS50/14R	14x1.5	radius	50mm
LBS50/25T17	12x1.25	taper	50mm (17 hex)
LBS50/25T	12x1.25	taper	50mm
LBS50/5R	12x1.5	radius	50mm
LBS50/5T	12x1.5	radius	50mm
LBS50/425T	14x1.25	taper	50mm
LBSPEB1	12x1.5	flat	31mm

LBSPEB2	12x1.25	flat	35mm (19 hex)
LBSPEB3	12x1.25	flat	35mm (19 hex)
LBSPEB4	12x1.25	flat	35mm (17 hex)
LBSWB1	12x.1.5	vari	32mm
LBSWB2	12x.1.25	vari	32mm
LBSWB3	14x.1.5	vari	32mm

Budget lock nuts

All budget lock nuts come in taper seating

Part number	Thread	End
N1	½"	closed
N1TK	½"	tuner
N10	12x1.5	closed
N10/OE	12x1.5	open
N10/TK	12x1.5	tuner
N14	14x1.5	closed
N14L	14x1.5	closed (40mm)
N14/OE	14x1.5	open
N14/TK	14x1.5	tuner
N3	12x1.25	closed
N3/OE	12x1.25	open
N3TK	12x1.25	tuner
N5/SC	3/8unf	open
		(with stainless steel cap)
N15	14x2	closed

Black budget lock nuts

N3/B	12x1.25	closed
N10/B	12x1.5	closed
N14/B	14x1.5	closed

Limpet lock nuts

PART NUMBER	HEX	THREAD	END	SEATING
LNL/R/4	27	16x1.5	closed	taper (steel wheels)
LNL/R/5	27	16x1.5	closed	taper (5 nut set)
LNS1	19	½"	closed	taper
LNS1/21	21	½"	closed	taper
LNS3	19	12x1.25	closed	taper
LNS10	19	12x1.5	closed	taper
LNS10/17	17	12x1.5	closed	taper
LNS10/21	21	12x1.5	closed	taper
LNS102		3/8 unf	closed	taper (loose washer)
LNS103	19	12x1.5	closed	taper (loose washer)
LNS103J	19	12x1.5	closed	flat (jaguar OE)
LNS104/4	27	16x1.5	closed	flat sleeve (set of 4)
LNS104/5	27	16x1.5	closed	flat sleeve (set of 5)
LNS104/14	27	14x1.5	closed	flat sleeve
LNS104/145	27	14x1.5	closed	flat sleeve (set of 5)
LNS108	22	12x1.5	closed	radius (freelander)
LNS108/5	22	12x1.5	closed	radius (set of 5)
LNS109	22	14x1.5	closed	flat sleeve
(range rover 05 on)				
LNS10F/G	19	12x1.5	closed	taper with loose washer (ghia)
LNS10F/OE	19	12x1.5	open	taper with loose washer (ghia)
LNS10R	19	12x1.5	closed	radius
LNS10T	21	12x1.5	closed	flat sleeve (toy/mits)
LNS110		14x1.5	closed	flat sleeve (rr sport)
LNS14	19	14x1.5	closed	taper
LNS15	19	14x2	closed	taper

LNS2	19	7/16unf	closed	taper
LNS3/21	21	12x1.25	closed	taper
LNS5	17	3/8unf	closed	taper
LNS6	17	3/8unf	closed	radius
LNSVN1	19	12x1.5	closed	taper (variable PCD)

Studs

Part number thread length spline diameter
(mm) (mm)

Mini, Morris Minor, Sprite, Metro Mk1

SS3/81	3/8 unf	35	10.3
SS3/82	3/8 unf	50	10.3
SS3/83	3/8 unf	60	10.3
SS3/84	3/8 unf	80	10.3

Ford

SS7/16S	7/16 unf	43	13.1
SS7/16L	7/16 unf	55	13.1
SS12/S	12x1.5	47	13.1
SS12/L	12x1.5	63	13.1

Honda

SS12H	12 x 1.5	62	12.4
-------	----------	----	------

Subaru, Nissan

SS25	12x1.25	63	14.3
------	---------	----	------

Vauxhall, Opel, Mitsubishi, Toyota

SSVO/S	12x1.5	51	14.3
SSVO	12x1.5	63	14.3

Volkswagen

SS14	14x1.5	60	15.0
SS14/L	14x1.5	70	15.0

Volvo

--

SSVV

12x1.5

67

16.5

We also have a range of classic, triumph and MG studs and nuts available; please contact our sales department for further information.

Conversion studs



PART NUMBER THREAD LENGTH (MM)

CSS1	12x1.5	50
CSS2	12x1.5	60
CSS3	12x1.25	45
CSS4	12x1.25	50
CSS5	12x1.25	60
CSS6	12x1.25	40
CSS7	14x1.5	40
CSS8	14x1.5	50
CSS9	14x1.5	60
CSS11	12x1.5	40
CSS12	12x1.25	80
CSS13	14x1.5	80
CSS14	12x1.5	80
CSS15	12x1.25	100

Hubcentric spacers (billet aluminium)



PCD = Number of studs x diameter of the circle
 e.g as above PCD = 5 x 112

PART NUMBER	PCD	CENTRE BORE	THICKNESS
HSB13	5x120	72.6	13mm
HSB15	5x120	72.6	15mm
HSB16/741	5x120	74.1	16mm
HSB20	5x120	72.6	20mm
HSB741/726/15	5x120	74.1-72.6	15mm
HSB20/741	5x120	74.1	20mm
HSB20/741/726	5x120	74.1 -72.6	20mm
HSB25	5x120	72.6	25mm
HSF16	4x108	63.4	16mm
HSF20	4x108	63.4	20mm
HSF516	5x108	63.4	16mm
HSFI16	4x98	58.1	16mm
HSH16	4x100	56.1	16mm
HSM10	5x112	66.6	10mm
HSM15	5x112	66.6	15mm
HSM20	5x112	66.6	20mm
HSM25	5x112	66.6	25mm

PART NUMBER	PCD	CENTRE BORE	THICKNESS
HSN16	5x114.3	66.1	16mm
HSP10	4x108	65.1	10mm
HSP15	4x108	65.1	15mm
HSP20	4x108	65.1	20mm
HSP516	5x108	65.1	16mm
HSPO16	5x130	71.6	16mm
HSPO20	5x130	71.6	20mm
HSR16	4x100	60.1	16mm
HSR20	4x100	60.1	20mm
HSR20/5	5x108	60.1	20mm
HSS16	5x100	56.1	16mm
HSS20	5x100	56.1	20mm
HST20	5x114.3	60.1	20mm
HSV16	5x110	65.1	16mm
HSV16/4	4x100	56.6	16mm
HSV20	5x110	65.1	20mm
HSVW15	5x112	57.1	15mm
HSVW15/4	4x100	57.1	15mm
HSVW20	5x112	57.1	20mm
HSVW15	5x112	57.1	15mm
HSVW20/4	4x100	57.1	20mm
HSVW25	5x112	57.1	25mm
HSVWT15	5x120	65.1	15mm
HSVWT20	5x120	65.1	20mm

Hubcentric Spacers – Available in Black

PART NUMBER	PCD	CENTRE BORE	THICKNESS
HSB15B	5x120	72.6	15mm
HSB20B	5x120	72.6	20mm
HSM15B	5x112	66.6	15mm
HSM20B	5x112	66.6	20mm
HSVW15B	5x112	57.1	15mm
HSVW20B	5x112	57.1	20mm
HSVWT10	5x120	65.1	10mm

Universal spacers



All universal spacers are made of die cast aluminium

PART NUMBER	HOLES	THICKNESS	PCD
SH3M/3	3	3mm	98mm
SH3M	4-5	3mm	95-121mm
SH5M	4-5	5mm	95-121mm
SH5M/6	5-6	5mm	139.7
SH6M/6	5-6	6mm	139.7
SH8M	4-5	8mm	95-121mm
SH9M	5	10mm	95-130mm
SH10M	4-5	10mm	95-121mm
SH10M/6	5-6	10mm	139.7
SP3/8	4	3/8"	95-114mm
SP3/4	4	3/4"	95-114mm
SP20M	5	20mm	95-130mm
SP1	4	1"	95-114mm

Spigot Rings

Other sizes are available on request, please call for further information.

PART NUMBER OUTER SIZE INNER SIZE

SR601561	60.1	56.1
SR601566	60.1	56.6
SR60541	60.1	54.1
SR601571	60.1	57.1

SR634541	63.4	54.1
SR634561	63.4	56.1
SR634571	63.4	57.1
SR634601	63.4	60.1

SR651634	65.1	63.4
----------	------	------

SR666571	66.6	57.1
SR666651	66.6	65.1

SR671541	67.1	54.1
SR671561	67.1	56.1
SR671566	67.1	56.6
SR671571	67.1	57.1
SR671581	67.1	58.1
SR671601	67.1	60.1
SR671634	67.1	63.4
SR671641	67.1	64.1
SR671651	67.1	65.1
SR671661	67.1	66.1

SR701561	70.1	56.1
SR701566	70.1	56.6
SR701571	70.1	57.1
SR701601	70.1	60.1
SR701634	70.1	63.4
SR701651	70.1	65.1
SR701661	70.1	66.1
SR701666	70.1	66.6
SR701671	70.1	67.1

PART NUMBER OUTER SIZE INNER SIZE

SR72571	72.1	57.1
SR72591	72.1	59.1

SR726541	72.6	54.1
SR726561	72.6	56.1
SR726566	72.6	56.6
SR726571	72.6	57.1
SR726581	72.6	58.1
SR726601	72.6	60.1
SR726634	72.6	63.4
SR726641	72.6	64.1
SR726651	72.6	65.1
SR726661	72.6	66.1
SR726666	72.6	66.6
SR726671	72.6	67.1
SR726701	72.6	70.1
SR726711	72.6	71.1

SR73541	73.1	54.1
SR73561	73.1	56.1
SR73566	73.1	56.6
SR73571	73.1	57.1
SR73581	73.1	58.1
SR73591	73.1	59.1
SR73596	73.1	59.6
SR73601	73.1	60.1
SR73634	73.1	63.4
SR73641	73.1	64.1
SR73651	73.1	65.1
SR73661	73.1	66.1
SR73665	73.1	66.5
SR73671	73.1	67.1
SR73703	73.1	70.3
SR73716	73.1	71.6

SR741571	74.1	57.1
SR741651	74.1	65.1
SR741711	74.1	71.1
SR741726	74.1	72.6

Other products available upon enquiry include:

- Classic, triumph MG studs and nuts
- Variety of other spigot ring sizes

About the company

Select Auto Supplies Ltd is a family owned and run business that has been trading since 1982. All of the information supplied in this catalogue has been compiled with care, however due to vehicle modifications and changes it is important that customers take care to check the specifics of the vehicle before fitting any of the products. Although all care is taken, products may vary slightly from images.

If you have any queries please feel free to contact our technical department.